

A modern living and dining room interior. On the left, a dining table with two chairs is set for a meal. A large window with roller blinds looks out onto a city skyline. In the center, a large white circle contains the text 'Roller Blinds Collection'. To the right, a grey sofa with several pillows is positioned against a white wall. A long, narrow framed picture hangs on the wall above the sofa. The floor is made of dark wood planks.

Roller Blinds Collection

All color for reference only, please refer to the sample fabric book for actual color and texture

FABRIC SHADING EFFECT

The eco-friendly and durable fabric is made into a variety of shading effects: transparent, semi-blackout, blackout, with unique design and functions of insulation, dust-proof, shading and light filtering, which is becoming a new favorite in home decoration.



Transparent




Semi-blackout




Full blackout






☀ 82032A



☀ 82032B





☀ 82032D



☀ 82032E


Number	Composition	Max Width	Thickness	Weight	Black Out Rate
82032	100% polyester	280cm 230cm(DE)	0.63mm ±5%	380g/430g/m ² ±5%	blackout




☀ 82132D



☀ 82132E



☀ 82132F



☀ 82132G



☀ 82132H

Number	Composition	Max Width	Thickness	Weight	Black Out Rate
82132	30% polyester +70% PVC	300cm	0.7mm ±5%	467g/m ² ±5%	Transparent



1%
openness factor

Number	Composition	Max Width	Thickness	Weight	Black Out Rate
82132	30% Polyester + 70% PVC	300 cm	0.70mm ± 5%	467g/m ² ± 5%	semi blackout



82132A




82132B



82132C






☀ 82181A



☀ 82181B



☀ 82181C




☀ 82181D



☀ 82181E

Number	Composition	Max Width	Thickness	Weight	Black Out Rate
82181	30% polyester +70% PVC	300cm	0.7mm ±5%	480g/m²±5%	Transparent




☀ 82176A



☀ 82176B



☀ 82176C



☀ 82176D



☀ 82176E



☀ 82176F




☀ 82176G

Number	Composition	Max Width	Thickness	Weight	Black Out Rate
82176	30% polyester +70% PVC	300cm	0.68mm±5%	663g/m ² ±5%	blackout




Super Blackout



Super Blackout



82179A



Super Blackout



82179B



Super Blackout



82179C

Number	Composition	Max Width	Thickness	Weight	Black Out Rate
82179	100% Polyester	300cm	0.6mm±5%	418g/m ² ±5%	super blackout



Super Blackout



Super Blackout



82180A



Super Blackout



82180B



Super Blackout



82180C



Super Blackout



82180D



Super Blackout



82180E

Number	Composition	Max Width	Thickness	Weight	Black Out Rate
82180	100% Polyester	300cm	0.6mm±5%	418g/m ² ±5%	super blackout



Super Blackout



 Super Blackout

 82183A



 Super Blackout

 82183B



 Super Blackout

 82183C



 Super Blackout

 82183D




 Super Blackout

 82183E

Number	Composition	Max Width	Thickness	Weight	Black Out Rate
82183	100% Polyester	280cm	0.6mm±5%	335g/m ² ±5%	super blackout




Super Blackout



☀ 82133A



☀ 82133B



☀ 82133C



☀ 82133D



☀ 82133E

Number	Composition	Max Width	Thickness	Weight	Black Out Rate
82133	100% Polyester	250/300cm	0.6mm±5%	320g/m ² ±5%	blackout



☀ 82167A



☀ 82167B



☀ 82167C




☀ 82167D



☀ 82167E

Number	Composition	Max Width	Thickness	Weight	Black Out Rate
82167	100% polyester	300cm	0.4mm ±5%	220g/m ² ±5%	semi blackout



☀ 82168A



☀ 82168B



☀ 82168C



☀ 82168D




☀ 82168E


Number	Composition	Max Width	Thickness	Weight	Black Out Rate
82168	100% Polyester	300cm	0.5mm±5%	330g/m ² ±5%	blackout




☀ 82178A




☀ 82178B



☀ 82178C




☀ 82178D



☀ 82178E

Number	Composition	Max Width	Thickness	Weight	Black Out Rate
82178	100% Polyester	280cm	0.65mm±5%	430g/m ² ±5%	blackout



☀ 82141A



☀ 82141B




☀ 82141C



☀ 82141D


Number	Composition	Max Width	Thickness	Weight	Black Out Rate
82141	100% Polyester	300cm	0.50mm±5%	155g/m ² ±5%	Transparent



☀ 82141E



☀ 82141F



☀ 82141G



☀ 82141H

Number	Composition	Max Width	Thickness	Weight	Black Out Rate
82141	100% Polyester	300cm	0.65mm±5%	370g/m ² ±5%	blackout




☀ 82142A




☀ 82142B



☀ 82142C




☀ 82142D



☀ 82142E

Number	Composition	Max Width	Thickness	Weight	Black Out Rate
82142	100% Polyester	300cm	0.53mm±5%	364g/m ² ±5%	blackout



☀ 82143A




☀ 82143B



☀ 82143C



☀ 82143D



☀ 82143E


Number	Composition	Max Width	Thickness	Weight	Black Out Rate
82143	100% Polyester	300cm	0.6mm±5%	400g/m ² ±5%	blackout




☀ 82076A



☀ 82076B




☀ 82076C




☀ 82076D


Number	Composition	Max Width	Thickness	Weight	Black Out Rate
82076	100% Polyester	300cm	0.33mm±5%	175g/m ² ±5%	semi blackout




☀ 82077A



☀ 82077B



☀ 82077C



☀ 82077D

Number	Composition	Max Width	Thickness	Weight	Black Out Rate
82077	100% Polyester	300cm	0.53mm±5%	375g/m ² ±5%	blackout




☀ 82156A



☀ 82156B



☀ 82156C



☀ 82156D




☀ 82156E



☀ 82156F


Number	Composition	Max Width	Thickness	Weight	Black Out Rate
82156	100% Polyester	300cm	0.45mm±5%	210g/m ² ±5%	Transparent




☀ 82164A




☀ 82164B




☀ 82164C



☀ 82164D




☀ 82164E



☀ 82164F


Number	Composition	Max Width	Thickness	Weight	Black Out Rate
82164	100% Polyester	300cm	0.61mm±5%	430g/m ² ±5%	blackout



☀ 82082A



☀ 82082B



☀ 82082C 180g/m²±3%



☀ 82082D




☀ 82082I




☀ 82082K


Number	Composition	Max Width	Thickness	Weight	Black Out Rate
82082	100% Polyester	300cm	0.45mm±0.05%	240g/m ² ±5%	semi blackout



☀ 82083A



☀ 82083B




366g/m²±15%

☀ 82083C



☀ 82083D

Number	Composition	Max Width	Thickness	Weight	Black Out Rate
82083	100% Polyester	300cm	0.45mm±0.05%	425gm ² ±15%	blackout



☀ 82083I




☀ 82083K



Number	Composition	Max Width	Thickness	Weight	Black Out Rate
82067M	100%Polyester	230/300cm	0.45mm±0.05%	185g/m ² ±5%	semi
82067N					blackout
82082G/H					
82067I/U		230cm			




☀ 82067M



☀ 82067N



☀ 82067G




☀ 82067H



☀ 82067I




☀ 82067U




Number	Composition	Max Width	Black Out Rate	Weight
82067K	T/L80/20	230cm	blackout	330g/m ² ±5%
82067L				360g/m ² ±5%
82067A/B	100% Polyester			320g/m ² ±5%
82067O/P				280g/m ² ±5%
82067C/V				350g/m ² ±5%



☀ 82067K



☀ 82067L



☀ 82067A



☀ 82067B



☀ 82067C




☀ 82067V




☀ 82067O



☀ 82067P




☀ 82027F




☀ 82027G



☀ 82027A




☀ 82027B



☀ 82027C




☀ 82027E



☀ 82027H

Number	Composition	Max Width	Thickness	Weight	Black Out Rate	Color fastness
82027	100% Polyester	300cm	0.4mm±5%	220g/m ² ±5%	semi blackout	6-8 Grade




☀ 82028F



☀ 82028G



☀ 82028H




☀ 82028A



☀ 82028B



☀ 82028C




☀ 82028E

Number	Composition	Max Width	Thickness	Weight	Black Out Rate	Color fastness
82028	100% Polyester	300cm	0.5mm±5%	330g/m ² ±5%	blackout	6-8 Grade


Semi-Blackout

Number	Composition	Max Width	Weight	Black Out Rate
82086	100%Polyester	230cm	190g/m ² ±5%	semi blackout




 82086W

 82086F




 82086B

 82086G




 82086C

 82086H



 82086E



 82086J




 82086K

Blackout

Number	Composition	Max Width	Weight	Black Out Rate
82086	100%Polyester	230cm	330g/m ² ±15%	blackout




☀ 82010G



☀ 82010V



☀ 82010J



☀ 82010T




☀ 82010E




☀ 82010L



☀ 82010Y




☀ 82010I




☀ 82010M


Number	Composition	Max Width	Thickness	Weight	Black Out Rate
82010	100% Polyester	300cm	0.3mm±0.05%	310g/m ² ±10%	blackout




Number	Composition	Max Width	Thickness	Weight	Black Out Rate	Color fastness
82026	40% Fiberglass + 60% PVC	200/250/300cm	0.38mm±5%	480g/m ² ±5%	blackout	6-8 Grade




☀ 82026A




☀ 82026B



☀ 82026C



☀ 82026E



☀ 82026F

82151 series 0%


Composition: 25% Polyester + 75% PVC

Finished width: 250/300 cm


Weight per m²: 576g/m² ± 5%

Thickness: 0.69mm ± 5%


Fire Resistance NFPA 701



☀ 82151A



☀ 82151B



☀ 82151C



☀ 82151D



☀ 82151E

82154 series 0.5%


Composition: 25% Polyester + 75% PVC

Finished width: 200/250/300 cm


Weight per m²: 435g/m² ± 5%

Thickness: 0.54mm ± 5%


Fire Resistance NFPA 701




☀ 82154A



☀ 82154B




☀ 82154C




☀ 82154D




☀ 82154E



82155A



82155B




82155C




■ Fire Resistance NFPA 701

Number	Composition	Max Width	Thickness	Weight	5% openness factor
82155	35% Polyester + 65% PVC	300 cm	0.58mm ± 5%	420g/m² ± 5%	







82088F




82088G



82088H




82088I




82088J




Number	Composition	Max Width	Thickness	Weight	5% openness factor
82088	30% Polyester + 70% PVC	300 cm	0.73mm ± 5%	428g/m² ± 5%	




82025F




82025G




82025H



82025J




82025D



82025I




82025K



82025L



Number	Composition	Max Width	Thickness	Weight	3% openness factor
82025	30% Polyester + 70% PVC	300 cm	0.69mm ± 5%	476g/m² ± 5%	



1%
openness factor

Number	Composition	Max Width	Thickness	Weight	Black Out Rate
82137	30% polyester +70% PVC	200/250/300cm	0.7mm ±5%	470g/m ² ±5%	semi blackout




☀ 82137A



☀ 82137D



☀ 82137E



☀ 82137C




☀ 82137F




☀ 82137G




☀ 82137B




82024A



82024B



82024C




82024E




Number	Composition	Max Width	Thickness	Weight
82024	30% Polyester + 70% PVC	300 cm	0.73mm ± 5%	525g/m² ± 5%


1%
openness factor



82006G




82006D




82006E




Number	Composition	Max Width	Thickness	Weight	Black Out Rate	0% openness factor
82006	30% Polyester + 70% PVC	300 cm	0.84mm ± 5%	663g/m² ± 5%	blackout	




82006A




82006B




82006C



82006L




82006M




82006N



82006O



82006Q




82006R




Number	Composition	Max Width	Thickness	Weight
82006	30% Polyester + 70% PVC	300 cm	0.75mm ± 5%	520g/m² ± 5%


5%
openness factor



82006S



82006H



82006F



■ Fire Resistance NFPA 701

Number	Composition	Max Width	Thickness	Weight	5% openness factor
82006	20% Polyester + 80% PVC	200 cm 250 cm 300 cm	0.54mm ± 5%	397g/m² ± 5%	

